

Message

---

**From:** Nace, Charles [Nace.Charles@epa.gov]  
**Sent:** 6/24/2020 8:15:15 PM  
**To:** Flynn, Kathryn [Flynn.Kathryn@epa.gov]  
**Subject:** RE: Riverside PRAP

Thanks! Yes, I think there will be a lot of little, and some major, items to address to keep everything consistent and correct. Never liked these fast moving sites as there are too many moving parts and not enough time to make sure all the i's are dotted and t's are crossed.

**Chuck Nace** | Chief - Technical Support Section | USEPA Region 2 | 290 Broadway, 18th Floor | New York, NY 10007 | T: 212-637-4164 | e-mail: [nace.charles@epa.gov](mailto:nace.charles@epa.gov)

---

**From:** Flynn, Kathryn <Flynn.Kathryn@epa.gov>  
**Sent:** Wednesday, June 24, 2020 1:23 PM  
**To:** Nace, Charles <Nace.Charles@epa.gov>  
**Subject:** RE: Riverside PRAP

Chuck, I know the deadline is tomorrow and I will definitely have my comments finished.

## Ex. 5 Deliberative Process (DP)

So this isn't a quick review but I am trying to be constructive with my comments and edits!

Kathryn

Kathryn Flynn  
Technical Support Section  
Emergency and Remedial Response Division  
U.S. Environmental Protection Agency  
290 Broadway  
New York, NY 10007



---

**From:** Nace, Charles <Nace.Charles@epa.gov>  
**Sent:** Wednesday, June 24, 2020 11:57 AM  
**To:** Flynn, Kathryn <Flynn.Kathryn@epa.gov>  
**Subject:** Riverside PRAP

Kathryn,

Courtney asked me to keep her updated on the TSS review of the PRAP. Josh has a deadline of Friday, so we still have time (not trying to rush you!), just checking in to see what your timeframe looks like. They (managers) are quite worried about missing ROD targets so there is extra interest in our progress.

Thanks,

**Chuck Nace** | Section Chief - Technical Support Section | USEPA Region 2 | 290 Broadway, 18th Floor | New York, NY 10007 | T: 212-637-4164 | e-mail: [nace.charles@epa.gov](mailto:nace.charles@epa.gov)